



The INTERMAGNET framework for peer-review and activities for improvement of 1 min Definitive Data quality and availability

Jan Reda¹, Benoit Heumez², and Jürgen Matzka³

¹Institute of Geophysics Polish Academy of Sciences, Warsaw, Poland

²Université Paris Cité – Institut de physique du globe de Paris – CNRS, Magnetic observatories, Paris, France

³GFZ Helmholtz Centre for Geosciences, Potsdam, Germany

Correspondence: Jürgen Matzka (juergen.matzka@gfz.de)

Received: 26 May 2025 – Discussion started: 23 June 2025

Revised: 22 August 2025 – Accepted: 14 September 2025 – Published: 18 November 2025

Abstract. The global INTERMAGNET network provides the scientific community with geomagnetic time series data from its more than 100 member observatories. These time series include near real-time data (Reported), as well as post-processed data products such as Quasi-Definitive and Definitive Data (hereafter referred to as QD and DD, respectively). QD data is published online with a delay of up to 3 months, while DD data becomes available on the INTERMAGNET website after the end of each calendar year. Additionally, the DD data and metadata are published with a unique identifier (DOI). DD data publications cover the records since 1991, and occasionally include updates of previously published DD datasets. All datasets are publicly accessible online.

DD and QD data allow the analysis of both short-term magnetic field variations and long-term secular variation. Monitoring these long-term changes distinguishes INTERMAGNET from other networks that focus primarily on short-term geomagnetic variations.

INTERMAGNET ensures high-quality DD geomagnetic data through a rigorous two-stage, peer-reviewed quality control process. Although this process delays publication, it guarantees the final DD datasets' highest possible accuracy and reliability.

This article discusses key aspects of the collection, processing, and publication of DD data within the INTERMAGNET network.

1 Introduction

The global INTERMAGNET network (International Real-Time Magnetic Observatory Network) is a highly valuable initiative dedicated to the collection and provision of high-quality geomagnetic data (Love and Chulliat, 2013). While all INTERMAGNET observatories (IMOs) are affiliated to the International Association of Geomagnetism and Aeronomy (IAGA), not all IAGA observatories are part of INTERMAGNET. Although INTERMAGNET and IAGA serve different roles, they work closely together. IAGA establishes the scientific foundation and guidelines for observing Earth's magnetic field, whereas INTERMAGNET develops and implements the technical standards in practice, ensuring homogenous time series and the timely delivery of data. These efforts are essential for both scientific research and practical applications.

All INTERMAGNET observatories (IMOs) provide 1 min data, while some IMOs also provide 1 s data. The data products they provide can be divided into two main categories.

1. *Near real-time data* – these datasets, referred to as *reported data*, are transmitted almost immediately after being recorded. Their low latency offers rapid availability, however they are not yet fully calibrated or verified by experts. Near real-time data are primarily used for operational monitoring purposes, such as quality control, space weather forecasting, and the protection of critical infrastructure sensitive to high geomagnetic activity, both on Earth and in space.

2. Quality controlled data which include:

- *Definitive Data (DD)* – These are the most accurate geomagnetic records, containing both geomagnetic variations and absolute field values, corrected using absolute measurements. They are processed after the end of each calendar year. The preparation process involves the removal of artificial disturbances, and the filling of data gaps using backup datasets when available. These datasets are thoroughly verified by experienced scientists before publication.
- *Quasi-Definitive Data (QD)* – Provided by INTERMAGNET observatories for over a decade, QD data are made available within 3 months of recording. Their quality is comparable to DD data (Peltier and Chulliat, 2010; Clarke et al., 2013). They are particularly relevant for the Swarm satellite mission (Macmillan and Olsen, 2013), as QD data are almost as accurate as Definitive Data but are available much earlier.

DD and QD data make INTERMAGNET stand out from other networks monitoring the Earth's magnetic field. They provide critical information about secular variation – slow changes in the Earth's internal magnetic field caused by core dynamics. Understanding secular variation is essential for studying the spatial and temporal properties of the geodynamo (Matzka et al., 2010). These datasets also contribute to the development of global models and maps, such as the International Geomagnetic Reference Field (IGRF) and the World Magnetic Model (WMM) (Macmillan and Quinn, 2000).

Here, we discuss the 1 min DD datasets provided by IMOs after the end of the calendar year. INTERMAGNET has established a peer-review system for these data. This cross-checking process involves expert evaluations by specialists in geomagnetic observations, ensuring that the published DD data are highly reliable and trusted by scientists, engineers, and decision-makers worldwide.

In Sect. 6, we describe the policies and recent initiatives aimed at maintaining the highest data quality standards and at improving the timeliness and availability of these datasets.

2 Policy for ensuring data quality

Since its inception, INTERMAGNET has emphasized the quality of data provided by observatories (Reda et al., 2011), particularly the Definitive Data set. This commitment is crucial as these data are used in scientific studies of the Earth's magnetic field and various geomagnetic models.

Only observatories that meet high-quality standards can join the INTERMAGNET network (St-Louis et al., 2020). One of the primary evaluation criteria is the analysis of baseline plots, that show the difference between the recording vector instrument and the manual absolute measurements.

These plots provide important information about the quality of geomagnetic observations, including:

- Frequency and regularity of absolute measurements,
- Deviation of absolute measurements,
- Stability of the vector magnetometer used for recording geomagnetic field variations,
- Impact of external factors (e.g., seasonal, temperature) on recording equipment,
- Method and accuracy of determining adopted baselines.

Analysis of baseline plots plays a key role in determining whether an observatory qualifies for inclusion in the INTERMAGNET network. A guide published by IAGA includes numerous references to the evaluation of baselines and their role in observatory practice (Jankowski and Sucksdorff, 1996).

Final data should meet the standards of both IAGA and INTERMAGNET. For IAGA, the most important publication about geomagnetic observatories for nearly 30 years has been the IAGA guide written by Jankowski and Sucksdorff (1996), available at: <http://www.iaga-aiga.org/data/uploads/pdf/guides/iaga-guide-observatories.pdf> (last access: 24 October 2025).

The specific INTERMAGNET requirements are outlined in the Technical Manual (St-Louis et al., 2020), which is regularly updated. The latest version can be found here: https://tech-man.intermagnet.org/_downloads/en/stable/pdf/ (last access: 24 October 2025).

All Definitive Data sets are reviewed before acceptance. If any concerns arise, feedback is sent to the observatory, requesting clarification or correction. Specific data or metadata issues are addressed through direct communications with the observatory, typically via email.

A fundamental principle of INTERMAGNET's policy is that the received data is never altered – any necessary corrections must be made by the observatories themselves as part of a self-correction process. The quality control of Definitive Data is carried out by a team of volunteer experts from the Data Checking Task Team (hereafter abbreviated as DCTT), working in close collaboration with the INTERMAGNET Definitive Data Subcommittee.

3 Data checking task team

The DCTT is responsible for the review and verification of Definitive Data sets. This team consists of experienced volunteers, each assigned to a specific group of INTERMAGNET observatories (IMOs). The review process extends beyond analyzing the time series of geomagnetic field components, and also includes:

- Baseline values and their stability,

- Historical annual means,
- File formats and metadata,
- Compliance with INTERMAGNET standards,
- Overall data consistency.

Whenever possible, data are compared with those from nearby observatories, helping to detect unexpected jumps in absolute levels. The final approval for data publication on the INTERMAGNET website lies with the INTERMAGNET Definitive Data Subcommittee.

The review process promotes communication and knowledge sharing, benefiting all participants. INTERMAGNET's quality control system ensures that users can trust the quality and reliability of Definitive Data from the INTERMAGNET network.

More detailed information on the INTERMAGNET quality control system and the current list of DCTT members is available at: <https://intermagnet.org/structure.html#data-checking-task-team> (last access: 24 October 2025). The list of IMOs and their assigned data checkers may change from year to year. A detailed list is sent to observatories at the beginning of each year as part of the “Call for Data”. The “Call for Data” is an annual message sent by INTERMAGNET to observatories after the end of the calendar year. It provides the deadline for submitting Definitive Data, along with key information about data requirements, including the list of mandatory files and where to upload them. The message also highlights any changes in data standards or submission procedures compared to the previous year.

INTERMAGNET recognizes and appreciates the dedication of the DCTT members and their home institutions for their contribution to improving the quality of geomagnetic data.

4 Scope of control of 1 min Definitive Data set

The complete dataset submitted by observatories at the end of the year includes several files (St-Louis et al., 2020):

- Twelve final 1 min binary data files (*.bin), oriented *XYZG* where: *X* (north), *Y* (east), *Z* (vertical), and *G* is the difference between vector and scalar observations,
- One baseline file (*.blv),
- One observatory readme file,
- One yearmean file, listing annual mean values for the observatory,
- One country readme file (text),
- One About-screen (graphic) for the country file.

These files vary in type and format, including binary files, text files and graphics files. Most are binary files, in INTERMAGNET Archive Format (IAF), as described in the Technical Manual (St-Louis et al., 2020), containing 1 min data series of the *XYZG* geomagnetic field, and optionally *K* local magnetic activity index (Menvielle and Berthelier, 1991), along with essential metadata, such as:

- IAGA code of the observatory,
- Geographic coordinates and elevation,
- Code of the parent institution,
- K9-limit for the local magnetic activity index (Menvielle and Berthelier, 1991),
- Original sampling period of the recording equipment,
- Original sensor orientation
- Hourly means
- Daily means

Readme text files provide information about the observatory, parent institutions, observers and responsible personnel, and observations notes. The file with the BLV extension contains valuable information about absolute measurements of the Earth's magnetic field and adopted baselines. Yearmean file contains yearly mean values observed since the beginning of the observatory's operation.

An important aspect of quality control for geomagnetic data provided by INTERMAGNET observatories is the detection of inconsistencies within the dataset. This is particularly relevant because certain metadata, such as geographic coordinates, appear in several files of the dataset. One common issue is a discrepancy between 1 min time series data and the annual averages contained in the yearmean file. Inconsistencies may also occur within the yearmean file itself – for example, between the *X* (north), *Y* (east), and *H* (horizontal) components. Many other types of discrepancies are also possible.

When reviewing 1 min data time series, the visual assessment of the magnetic field recordings is a key step to detect discrepancies between F ($F = \sqrt{X^2 + Y^2 + Z^2}$) and *S*, where *X*, *Y*, and *Z* are recorded by the observatory's vector magnetometer, and *S*, which is recorded by an absolute scalar field magnetometer such as proton or Overhauser magnetometer. In addition, visual comparisons of the time series of a given observatory with those from neighboring observatories often provide valuable insights.

Accepted Definitive Data are publicly available at:

1. INTERMAGNET Website: https://imag-data.bgs.ac.uk/GIN_V1/GINForms2 (last access: 24 October 2025). Provides 1 min *XYZF* time series following approval by a DCTT volunteer and the INTERMAGNET organization.

2. DOI publication of the INTERMAGNET Reference Dataset (IRDS), available at: https://intermagnet.org/data_download.html#downloading_data_using_dois (last access: 24 October 2025).

Dating back to 1991, it contains the most recent data updates for the entire INTERMAGNET network, along with time series, baselines, K indices, historical yearly averages and readme files. Corrections are very rare. However, occasional updates may be applied to both the 1 min average data files and the accompanying auxiliary files. Such corrections may result from, for example, errors discovered in baseline determination, mistakes in metadata (such as incorrect observatory coordinates), or the publication of incorrect annual means in yearmean-type files.

5 Software for data quality control

Over several decades of INTERMAGNET's operation, various software tools have been developed for viewing, analyzing, converting formats, and verifying geomagnetic data from geophysical observatories. Some of these tools are publicly available and are regularly updated for anyone interested. A list of available software, along with download links, can be found on the INTERMAGNET website <https://intermagnet.org/software.html> (last access: 24 October 2025).

The notable programs are:

- IMCDViewer – a Java application designed to work with IAF binary files and other types of files provided by observatories at the end of the year. The program enables the visualization of minute, hourly, and daily data, baseline values, 3 h local geomagnetic activity indices (K), readme and graphical files (Dawson et al., 2009). It is useful for data quality control and allows data comparison between observatories. The program requires data to follow the structure defined for INTERMAGNET CD/DVDs. An example of data visualization using IMCDViewer is shown in Fig. 1.
- MagPy – a Python-based software package for analyzing and visualizing geomagnetic data (Leonhardt et al., 2013). It allows file conversion of various formats, data plotting, and mathematical calculations related to geomagnetism, such as baseline determination and trend analysis. An example of MagPy's visualization capabilities is shown in Fig. 2.
- gm_convert – a Java application for converting between various geomagnetic data formats: WDC, IMFV, IAGA2002, ImagCDF, and INTERMAGNET-DKA. Definitions of these formats, particularly those used by INTERMAGNET, can be found in the INTERMAGNET Technical Reference Manual (St-Louis et




Figure 1. IMCDVIEW. Data quality control by comparing the X component of two observatories (here VSS and PST) for December 2020 to January 2022.




Figure 2. MagPy. Graphical visualization of XYZ for 1 month (here for Conrad Observatory WIC, $DF = F - S$).

al., 2020). The application can operate in both graphical and command-line modes.

- check1min – a Windows console command-line tool that checks whether files comply with required formats. It focuses mainly on verifying the consistency of IAF files with other files in the yearly dataset. A key feature is the ability to compare annual averages from yearmean files with those computed from IAF files.

6 Policy for improving data availability

In recent years, INTERMAGNET has made significant efforts to improve the availability and timeliness of Definitive Data. Recognising the scientific community's growing need for faster access to high-quality datasets, much effort has gone into streamlining the data review process. Volunteers

from the DCTT are adopting improved workflows which lead the elaboration of condensed, standardised guidelines for data checking. They also communicate more frequently with observatories to accelerate the identification and resolution of issues. Furthermore, the process for publishing datasets with Digital Object Identifiers (DOIs) is undergoing an important evolution. Historically, INTERMAGNET would wait until datasets from all participating observatories (IMOs) were finalised before issuing the annual DOI publication. Moving forward, the DOI publication process will become incremental, allowing individual observatory datasets to be published as soon as they pass review. This change will eliminate the bottleneck caused by delays at individual observatories, ensuring that high-quality Definitive Data are made available to users more rapidly while maintaining rigorous quality standards.

7 Conclusion

Thanks to its rigorous quality assurance policy, two-stage verification process, and the dedication of volunteer experts, the INTERMAGNET network provides high-quality DD. The DCTT plays a key role in reviewing and validating submission, ensuring accuracy and consistency of DD. This thorough verification process makes DD a reliable source of information for both scientific research and practical applications. Although DD data undergo publication delays, they provide the accuracy and long term homogeneity of the time series that is necessary for analyzing secular changes in the Earth's magnetic field and for space climate studies. In this context, homogeneity means that variations in the data from the network of observatories should reflect true changes in the Earth's magnetic field, rather than being caused by measurement errors, equipment changes, poor calibration, or inadequate measurement procedures at individual observatories. Further development of quality control methods and the development of analytical tools for data verification will be crucial for maintaining INTERMAGNET's high quality data standards.

Code availability. MagPy – provides a tool set for geomagnetic data analysis. A detailed description and instructions can be found on the main download page: <https://github.com/geomagpy/magpy#magpy> (last access: 30 October 2025), <https://doi.org/10.5281/zenodo.15861613> (Leonhardt et al., 2025).

IMCDViewer – a Java-based application developed by the British Geological Survey (BGS) for viewing and verifying geomagnetic data in the INTERMAGNET CD/DVD format. The software is publicly available as a JAR package at https://geomag.bgs.ac.uk/data_service/intermagnet/home.html (last access: 30 October 2025).

gm_convert – a Java application developed by the British Geological Survey (BGS) for converting between geomagnetic data formats. The software is publicly available at https://geomag.bgs.ac.uk/data_service/intermagnet/home.html (last access: 30 October 2025).

ac.uk/data_service/intermagnet/home.html (last access: 30 October 2025).

check1min – a Windows console application written in Delphi for automated verification of 1 min geomagnetic data. The software and full source code are publicly available from the Institute of Geophysics, Polish Academy of Sciences (<http://magneto.igf.edu.pl/soft/check1min/>, last access: 30 October 2025).

Data availability. Definitive data currently under peer review are not publicly available. Definitive data that have successfully passed the quality control process are available from the INTERMAGNET website at https://imag-data.bgs.ac.uk/GIN_V1/GINForms2 (last access: 30 October 2025).

Author contributions. RJ and HB. collected the information needed for the article. RJ and MJ developed the overall concept and structure of the paper. All authors contributed to editing and revising the manuscript.

Competing interests. The contact author has declared that none of the authors has any competing interests.

Disclaimer. Publisher's note: Copernicus Publications remains neutral with regard to jurisdictional claims made in the text, published maps, institutional affiliations, or any other geographical representation in this paper. While Copernicus Publications makes every effort to include appropriate place names, the final responsibility lies with the authors. Views expressed in the text are those of the authors and do not necessarily reflect the views of the publisher.

Special issue statement. This article is part of the special issue “Geomagnetic observatories, their data, and the application of their data”. It is a result of the XXth IAGA Workshop on Geomagnetic Observatory Instruments, Data Acquisition, and Processing, Vassouras, Brazil, 30 October–6 November 2024.

Acknowledgements. This work was funded by the statutory funds of Institute of Geophysics Polish Academy of Sciences, IGP France, and GFZ Helmholtz Centre for Geosciences.

We thank the three reviewers and the associate editor for their thoughtful comments and suggestions, which helped improve the manuscript.

Financial support. The article processing charges for this open-access publication were covered by the GFZ Helmholtz Centre for Geosciences.

Review statement. This paper was edited by Anna Willer and reviewed by C. Kristina Rossavik and two anonymous referees.

References

- Clarke, E., Baillie, O., Reay, J. S., and Turbitt, C. W.: A method for the near real-time production of quasi-definitive magnetic observatory data, *Earth Planet. Space*, 65, 1363–1374, <https://doi.org/10.5047/eps.2013.10.001>, 2013.
- Dawson, E., Reay, S., Macmillan, S., Flower, S., and Shanahan, T.: Quality control procedures at the World Data Centre for Geomagnetism (Edinburgh), Poster, IAGA 11th Scientific Assembly, Sopron, Hungary, 23–30 August 2009, https://www.researchgate.net/publication/264590163_Quality_control_procedures_at_the_World_Data_Centre_for_Geomagnetism_Edinburgh (last access: 28 October 2025), 2009.
- Jankowski, J. and Sucksdorff, C.: Guide for Magnetic Measurements and Observatory Practice, International Association of Geomagnetism and Aeronomy, Warsaw, ISBN 0-9650686-2-5, 1996.
- Leonhardt, R., Matzka, J., and Wack, M.: MagPy – A Python based software for analyzing geomagnetic observatory measurements, Extended abstract, in: Proc. XVth IAGA Workshop on Geomagnetic Observatory Instruments, Data Acquisition and Processing, San Fernando, Spain, BOLETÍN ROA No. 03/13, 169–172, ISSN 1131-5040, 2013.
- Leonhardt, R., Bailey, R., Schovanec, H., Fee, J., Bracke, S., Miklavac, M., and Kompein, N.: MagPy – Analyzing and displaying geomagnetic data (v2.0.0), Zenodo [code], <https://doi.org/10.5281/zenodo.15861613>, 2025.
- Love, J. J. and Chulliat, A.: An international network of magnetic observatories, *Eos Trans. AGU*, 94, 373–374, <https://doi.org/10.1002/2013EO420001>, 2013.
- Macmillan, S. and Olsen, N.: Observatory data and the Swarm mission, *Earth Planet. Space*, 65, 1355–1362, <https://doi.org/10.5047/eps.2013.07.011>, 2013.
- Macmillan, S. and Quinn, J. M.: The 2000 revision of the joint UK/US geomagnetic field models and an IGRF 2000 candidate model, *Earth Planet. Space*, 52, 1149–1162, <https://doi.org/10.1186/BF03352345>, 2000.
- Matzka, J., Chulliat, A., Manda, M., Finlay, C. C., and Qamili, E.: Geomagnetic Observations for Main Field Studies: From Ground to Space, *Space Sci. Rev.*, 155, 29–64, <https://doi.org/10.1007/s11214-010-9693-4>, 2010.
- Menvielle, M. and Berthelier, A.: The K-derived planetary indices: Description and availability, *Rev. Geophys.*, 29, 415–432, <https://doi.org/10.1029/91RG00994>, 1991.
- Peltier, A. and Chulliat, A.: On the feasibility of promptly producing quasi-definitive magnetic observatory data, *Earth Planet. Space*, 62, e5–e8, <https://doi.org/10.5047/eps.2010.02.002>, 2010.
- Reda, J., Fouassier, D., Isac, A., Linthe, H. J., Matzka, J., and Turbitt, C. W.: Improvements in Geomagnetic Observatory Data Quality, in: Geomagnetic Observations and Models, edited by: Manda, M. and Korte, M., IAGA Special Sopron Book Series, Vol. 5, Springer, Dordrecht, 127–148, https://doi.org/10.1007/978-90-481-9858-0_6, 2011.
- St-Louis, B., INTERMAGNET Operations Committee, and INTERMAGNET Executive Council: INTERMAGNET Technical Reference Manual, Version 5.0.0, INTERMAGNET, GFZ Data Services, Potsdam, 146 pp., <https://doi.org/10.48440/INTERMAGNET.2020.001>, 2020.